

VITAWORK[®] 7

FACT SHEET



VITAWORK® 7



TECHNICAL DATA

| VITAWORK® 7 | |
|-------------------|---|
| Colours | Metallic Silver/Black |
| Dimensions | Height: 2,040 mm |
| | Luminaire head (W x D x H): 542 mm x 370 mm x 32,5 mm |
| | Ceiling height clearance: > 2 m |
| Lamp base | C-shaped |
| Material | Aluminium, Steel (lamp base), Plastic (touch panel & side caps) |
| Energy efficiency | A++ |
| Protection type | IP 20 |
| Protection class | I Ⓢ |

| Illuminants | |
|---------------------------|-------------------------|
| Fitted with | LED |
| Power consumption | 45 W |
| Light distribution | Asymmetric or Symmetric |
| Luminous flux direct | 1,566 lm |
| Luminous flux indirect | 4,790 lm |
| Nominal luminous flux | 7,000 lm |
| Luminous efficiency | 141 lm/W |
| Colour temperature (CCT) | 4,000 K |
| Colour tolerance | < 3 SDCM |
| 50,000 h | L85B10 |
| UGR | < 19 |
| Colour reproduction index | ≥ 80 |
| LED life | over 50,000 hours |
| Shock-proof plug | Schuko-plug (Typ F)* |
| Standby consumption | ≤ 0,5 W |


| VITACORE® | |
|-------------------------|--|
| Operation | via VITACORE® electronics and sensors |
| Light intensity setting | Seamless direct & indirect dimming via the touch panel |
| Sensors | Infrared Presence Sensor & Luminosity Sensor |

| Article overview | | | |
|------------------|-----------------------|--------------------|----------|
| Article number | Luminaire | Light Distribution | Control |
| 9245-140 | VITAWORK® 7 Asym. PIR | Asymmetric | PIR |
| 9246-140 | VITAWORK® 7 Asym. Dim | Asymmetric | dimnable |
| 9247-140 | VITAWORK® 7 Sym. PIR | Symmetric | PIR |
| 9248-140 | VITAWORK® 7 Sym. Dim | Symmetric | dimnable |

*Additional plugs are available. Article numbers differ. Please contact us.




TECHNICAL VIEW




LIGHT DISTRIBUTION CURVE

VITAWORK®
9241/9242/9245/9246/9249



VITAWORK®
9243/9244/9247/9248/9252



Free download at www.luctra.eu

LUCTRA

LUCTRA® is a brand of
DURABLE · Hunke & Jochheim GmbH & Co. KG
Westfalenstraße 77–79 · 58636 Iserlohn
P.O. Box 1753 · 58634 Iserlohn · Germany
Phone +49 2371 662445
info@luctra.eu · www.luctra.eu